

January, 2014

3M™ Scotch® Label Protection Tape 821

Product Description

Scotch® Label Protection Tape 821 is a lightly tinted pink film tape designed for protecting labels and packaging lists. The synthetic adhesive is designed for easy handling and dispensing with low static. It also offers abrasion and moisture protection. Writing on the backing with No. 2 pencils, ball point, and many marking pens makes this label covering tape acceptable by the U.S. Postal Service and U.P.S.

Product Features

- Matte finish.
- Cuts easily and easy to dispense.
- Low static.
- Write on surface.
- Low glare surface.
- Long aging.
- Stable in cold temperatures and will protect labels in freezer.
- Tape looks unique.
- Labels can be edited, corrected or rerouted easily.
- Bar code scanning protection allows a non-glare read.
- Most labels are not likely to yellow, pucker or dry out during normal label life.



3M™ Scotch® Label Protection Tape 821

Technical Information Note

The following technical information and data should be considered representative or typical only and should not be used for specification purposes.

Typical Physical Properties

Property	Values		Method
Color	Transparent pink		
Total Tape Thickness	0.063 mm	2.5 mil	ASTM D3652
Backing Thickness	0.04 mm	1.6 mil	ASTM D3652
Backing	Acetate		
Adhesive	Acrylic		

Typical Performance Characteristics

Property	Values		Method	Substrate
Peel Adhesion	2.7 N/cm	25 oz/in	ASTM D3330	Stainless Steel
Longitudinal Tensile Strength	21 N/cm	12 lb/in	ASTM D3759	
Elongation at Break	15 %		ASTM D3759	

Available Sizes

Property	Values	
Standard Roll Length	66 (bulk only) m	72 (bulk only) yd

Table continued on next page

3M™ Scotch® Label Protection Tape 821

Available Sizes (continued)

Property	Values	
Standard Width	50.8, 76.2, 101.6, 127, 152.4 mm	2, 3, 4, 5, 6 in
Core Size (ID)	76.2 mm	3 in
Available Sizes	Custom widths and lengths available on request, subject to minimum order requirements.	

Handling/Application Information

Application Techniques

A line of in-stock manual dispensers is available including the Scotch® Tape Dispensers M-727, M-707, M-797 and P56.

Storage and Shelf Life

Storage of Scotch® Label Protection Tape 821 is recommended at 70°F (21°C) and 40-50% relative humidity. To obtain best performance, use this product within 18 months from date of manufacture.

References

Property	Values
3m.com Product Page	https://www.3m.com/3M/en_US/company-us/all-3m-products/~~/Scotch-Label-Protection-Tape-821?N=5002385+3293242200&rt=rud
Safety Data Sheet (SDS)	https://www.3m.com/3M/en_US/company-us/SDS-search/results/?gsaAction=msdsSRA&msdsLocale=en_US&co=ptn&q=821

3M™ Scotch® Label Protection Tape 821

ISO Statement

This Industrial Adhesives and Tapes Division product was manufactured under a 3M quality system registered to ISO 9001 standards.

For Additional Information

To request additional product information or to arrange for sales assistance, call toll free 1-800-362-3550 or visit www.3M.com/packaging. Address correspondence to: 3M Industrial Adhesives and Tapes Division, Building 21-1W-10, 900 Bush Avenue, St. Paul, MN 55144-1000. Our fax number is 651-778-4244. In Canada, phone: 1-800-364-3577. In Puerto Rico, phone: 1-787-750-3000. In Mexico, phone: 52-70-04-00.

3M™ Scotch® Label Protection Tape 821

Information

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M™ Scotch® Label Protection Tape 821



3M United States
3M Center
St. Paul, MN 55144-1000
800-362-3550
www.3M.com

Please recycle.
© 3M 2020. All Rights Reserved.

The brands listed above are trademarks of 3M